



2610-039 ELECTRIC WATER VALVE




2610-039 ELECTRIC WATER VALVE
(CLOSED POSITION)




WHEN SWITCH IS TURNED COMPLETELY IN THE COUNTER-CLOCK WISE POSITION THE WATER VALVE SHOULD BE CLOSED. THE ROTATION OF THE SHAFT ON WATER VALVE WILL ALSO BE COUNTER-CLOCK WISE (VIEWING WATER VALVE AS SHOWN ABOVE).

DETAIL -8-




REV	INT	DATE	DESCRIPTION
A			
B			

THE CYCLE OF THE WATER VALVE SHOULD NOT TAKE ANY LONGER THAN 15 SECONDS FROM OPEN TO CLOSED OR CLOSED TO OPEN




2400-053 POTENTIOMETER SWITCH
(TURNED COMPLETELY COUNTER CLOCK-WISE CLOSED POSITION)



2400-053 POTENTIOMETER SWITCH
(TURNED COMPLETELY CLOCK WISE OPEN POSITION)




2610-039 ELECTRIC WATER VALVE
(OPEN POSITION)



WHEN SWITCH IS TURNED COMPLETELY IN THE CLOCK WISE POSITION THE WATER VALVE SHOULD BE OPEN. THE ROTATION OF THE SHAFT ON WATER VALVE WILL ALSO BE CLOCK WISE (VIEWING WATER VALVE AS SHOWN ABOVE).

DETAIL -A-



SGH COMPANY, INC.
 9060 TYLER BLVD., NENTON, OHIO 44060
 DRAWN BY: SMH TEL: (440) 255-1190
 REV: - FAX: (440) 255-9744
 DESCRIPTION: STANDARD ELECTRIC WATER VALVE AND CONTROL SWITCH WIRING SCHEMATIC AND PIN DIAGRAM
 SCALE: --- DATE: 09/02/10 DRAWING NO.: 2610-039-ES-1