

J1		J2		J3							
I/O CONNECTOR		CRADLE ALIGNED		RUNG ALIGNED		E-STOP		WIRE			
DT06-12\$C-P012		DT06-2S		DT06-2S			TWISTED PAIRS*	ID	COLOR	AWG	LENGTH (INCH)
PIN #	CODE	PIN#	CODE	PIN#	CODE						
2	J	1	J				TAUCTED DAIDS	GND	BLACK	18	9
1	J	2	J				TWISTED PAIRS	CRADLE ALIGN.	GREEN	18	9
4	J			1	J		TWICTED DAIDS	GND	BLACK	18	9
3	J			2	J		TWISTED PAIRS	RUNG ALIGN.	ORANGE	18	9
6	J					E-STOP	TWISTED PAIRS	E-STOP	BLUE	18	16 3/4
7	J					E-STOP		E-STOP	BLUE	18	16 3/4
W12S-P0	W12S-P012		W2S		3		WEDGE LOCK		•	'	•
0413-217-1605							PLUG				

PIN CODE	PART #	TOTAL
J	0462-201-16141	10



CHK'D APPV'D

MFG

Q.A



DATE

DO NOT SCALE DRAWING SCALE : NONE

REVISION 1.0

621 Technologies inc.

PLATFORM HARNESS-H3

for damage and costs that may result from the use of these data. Binding data are to

ALCTC-001-H3

*IF APPLICABLE TWISTING SHOULD NOT BE LESS THAN ONE TWIST PER INCH UNLESS OTHERWISE SPECIFIED

Dimensions are approximate. For representation only.
Tolerances except where otherwise stated .X = +/-0.25

be taken exclusively from our drawings that are subject to confirmation. These contents are cofidential and property of 621 inc., so it must not be copied or submitted to third parties for use or examination.

All data and drawings are sent without acknowledgement of a legal obligation,

cannot be excluded completely. We therefore do not accept any responsibility

02/09/19 without guarantee of completeness and without promise of warranty. The data 02/09/19 provided were ascertained using extreem care. However, possible sources of error carpot be excluded completely. We

DIMENSIONS ARE IN INCHES UNLESS UNTIL SPECIFIED SHEET 2 OF 2

\\Network\192.168.3.100\home